

**DIRECTOR, CULTURAL AFFAIRS, ARCHAEOLOGY AND MUSEUMS, PUNJAB
ARCHAEOLOGICAL MUSEUM SANGHOL**

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 1 | PANEL - 16 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 62 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 2 | PANEL - 17 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 3 | PANEL - 18 DESCRIPTION Providing, fitting, and fixing of display showcase made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 122.5 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 4 | PANEL - 19 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 5 | PANEL - 19A DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thick cable wire, teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 6 | PANEL - 19B DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thick cable wire, teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 7 | PANEL - 20 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 8 | PANEL - 21 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 9 | PANEL - 22 DESCRIPTION Providing, fitting, and fixing of storage cabinet made of 19 mm BWP Block Board (Green / Century) on teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 2 | 18 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 10 | PANEL - 23 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 11 | PANEL - 24 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 12 | PANEL - 25 DESCRIPTION Providing, fitting, and fixing of display showcase made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 131.25 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 13 | PANEL - 26 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 14 | PANEL - 27 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 15 | PANEL - 27A DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thick cable wire, teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 16 | PANEL - 27B DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 6mm BWP Ply (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm & 7mm thick cable wire, teakwood structural framing, clad with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 28 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 17 | PANEL - 28 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 18 | PANEL - 29 DESCRIPTION Providing, fitting, and fixing of Glass top podium made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), powder coated stainless steel stand, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 4.5 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 19 | PANEL - 29A DESCRIPTION Providing, fitting, and fixing of display showcase made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 35 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 20 | PANEL - 29B DESCRIPTION Providing, fitting, and fixing of podium made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 24.75 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 21 | PANEL - 29C DESCRIPTION Providing, fitting, and fixing of base podium made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 9 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 22 | PANEL - 30 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 23 | PANEL - 31 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 24 | PANEL - 32 DESCRIPTION Providing, fitting, and fixing of display showcase made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 131.25 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 25 | PANEL - 33 DESCRIPTION Providing, fitting, and fixing of display panel made of 19 mm BWP Block Board (Green / Century), 10mm clear laminated / toughend glass (Saint - Gobain - toughened by TruTuf or equivalent) with all fixtures and patch fittings (Ozone), 5mm thik cable wire, teakwood structural framing, cladded with 1mm thk. (Green / Century) Laminate and 1st class teak lipping and application of three coats of plastic emulsion paint of ICI make or equivalent over a coat of primer after preparation of surfaces with putty on inside and with application of French polishing and finishing coat with machine sprayed lacquer / melamine finish with white gala, necessary colours, polishing oil and all related items after preparation of surfaces to all teak lipping after giving anti-termite treatment with all fixtures and fittings, tools, tackles, transportation and handling all complete | 1 | 32 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|---|------|---------------|----------------------|
| 26 | FIRST FLOOR PAINTING DESCRIPTION Providing and application of coats of texture paint of Spectrum brand or equivalent as per specified shade after preparation of surfaces with lime punning upto 3 mm as required over wall primer with due ground preparation with trowel / roller finish in uniform application and tools, tackles, transportation and handling all complete | 1 | 7341.3 | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 27 | <p>LIGHT FITTING AND FIXTURE - PANEL, SHOWCASE AND GENERAL LIGHTING</p> <p>DESCRIPTION</p> <p>Supply, fitting and fixing of Track & Spot light fittings with all fittings and fixtures (Litelab make), as required of with all fittings & fixtures complete with all related materials , tools, & tackles, transportation & handling and wastage.</p> <p>Refer Annexure - B (First Floor Light Fitting Details)</p> <p>Circuit and internal wiring in concealed manner and relaying of internal wiring using PVC insulated multi standard (Finolex/Havells) or equvilant copper wire in PVC conduit / casing with all fittings & fixtures complete with all related materials , tools, & tackles, transportation & handling and wastage.</p> | | | |
| 28 | <p>DISPLAY MATERIAL, EXHIBIT FABRICATION AND SINAGES</p> <p>DESCRIPTION</p> <p>Research, content development / script, translation, scanning, graphics and designing, text composition and providing, fitting and fixing of Digital Prints (1200 dpi) with UV Protected Cold Matt/Gloss Lamination (125 microns) and Mounting (with super strength Mounting film) on 3mm thk Sunboard with 1/2", 1", 1 1/2" steel finish raiser and with 3mm clear imported acrylic sheet on top and all related items with tools, tackles, transportation and handling all complete</p> <p>Acrylic Stands for write - ups</p> | | | |
| | | 1 | 220.00 | |
| | | 8 | | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 29 | MULTIMEDIA EQUIPMENT - PANEL - 22 | | | |
| | DESCRIPTION | | | |
| a | Supply, fitting and fixing of Sony Installtion projector model no - VPL-FX40 with all fittings & fixtures complete with all related materials , tools, & tackles, transportation & handling . | | | |
| b | Providing, fitting, and fixing of projection screen on powder coated MS structural framing with all fixtures and fittings, tools, tackles, transportation and handling all complete. | | | |
| c | Supply of Dell™ Inspiron 15R Laptop [Intel® Core™ i5 480M Processor (2.66GHz/3MB cache), Genuine Windows® 7 Home Basic 64-Bit, 15.6 Widescreen HD WLED Glossy Display with TrueLife™ (1366x768), 4GB2 DDR3 SDRAM at 1333MHz, 500GB3 hard drive (RPM) (5400RPM), with all fittings & fixtures complete with all related materials , tools, & tackles, transportation & handling . | | | |

| ITEM No. | ITEM | Unit | Size (sq.ft.) | *Amount Quoted (Rs.) |
|----------|--|------|---------------|----------------------|
| 30 | DISMANTLING | | | |
| | DESCRIPTION | | | |
| | Dismantling of old panels, showcases, pedestals, podiums, electric wiring, electric fitting etc. | | | |

GRAND TOTAL